Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

MASS

747.24

- 1. (Original) An outside mirror for a vehicle, comprising:
- an image capturing unit; and
- a visible-light emitting unit that emits visible light, wherein

the visible-light emitting unit is arranged such that the visible light emitted does not directly enter into the image capturing unit.

- 2. (Previously Presented) The outside mirror according to claim 1, wherein the visible-light emitting unit functions as any one of a side-turn lamp, a side marker lamp, or a turn lamp of a front combination lamp of the vehicle.
- 3. (Previously Presented) The outside mirror according to claim 1, wherein the visible-light emitting unit includes a visible-light distribution controller that controls distribution of the visible light emitted within a predetermined range, wherein the visible-light distribution controller is configured as a reflector or a prism.
- 4. (Original) The outside mirror according to claim 1, further comprising a lens that transmits the visible light emitted.
- 5. (Original) The outside mirror according to claim 1, wherein the visible-light emitting unit is provided as a unit part.
- 6. (Previously Presented) The outside mirror according to claim 1, wherein the image capturing unit has a mechanism configured to be tilted by manual operation or by remote operation.
- 7. (Previously Presented) The outside mirror according to claim 1, further comprising:

an infrared emitting unit that emits infrared radiation.

- 8. (Previously Presented) The outside mirror according to claim 7, wherein the visible-light emitting unit functions as any one of a side-turn lamp, a side marker lamp, or a turn lamp of a front combination lamp of the vehicle.
- 9. (Original) The outside mirror according to claim 7, wherein the visible-light emitting unit includes a visible-light distribution controller that controls distribution of the visible light emitted within a predetermined range.
- 10. (Previously Presented) The outside mirror according to claim 7, wherein the infrared emitting unit includes an infrared radiation distribution controller that controls distribution of the infrared radiation emitted within a predetermined range; and the visible-light emitting unit includes a visible-light distribution controller that controls distribution of the visible light emitted within a predetermined range.
- 11. (Original) The outside mirror according to claim 7, further comprising a first lens that transmits the visible light emitted.
- 12. (Previously Presented) The outside mirror according to claim 7, further comprising a second lens that transmits the infrared radiation emitted.
- 13. (Original) The outside mirror according to claim 7, wherein the infrared emitting unit is provided as a unit part.
 - 14. (Previously Presented) The outside mirror according to claim 7, wherein the infrared emitting unit includes an infrared source,

the infrared source includes at least one infrared light-emitting-diode that emits the infrared radiation,

the visible-light emitting unit includes a visible-light source, and the visible-light source includes at least one visible light-emitting-diode that emits the

W. Sty

WASH:

WASI.

 $VV \subseteq \mathbb{N}$

20

visible light.

West

- 15. (Previously Presented) The outside mirror according to claim 14, wherein the infrared light-emitting-diode is mounted on one surface of a substrate, and the visible light-emitting-diode is mounted on an other surface of the substrate.
- 16. (Original) The outside mirror according to claim 15, wherein both the infrared light-emitting-diode and the visible light-emitting-diode are surface-mounted.
- 17. (Original) The outside mirror according to claim 15, wherein the substrate is a flexible substrate.
- 18. (Previously Presented) The outside mirror according to claim 7, wherein the image capturing unit has a mechanism configured to be tilted by manual operation or by remote operation.
 - 19. (Original) An outside mirror for a vehicle, comprising: an image capturing unit; and a visible-light emitting unit that emits visible light, wherein

the image capturing unit captures an image of an area illuminated by the visible-light emitted or near the area, and

the visible-light emitting unit is arranged such that the visible light emitted does not directly enter into the image capturing unit.

20. (Original) An outside mirror for a vehicle, comprising: an image capturing unit; and

a visible-light emitting unit that emits visible light, wherein

the visible-light emitting unit illuminates an area where the image capturing unit captures an image or near the area, and

the visible-light emitting unit is arranged such that the visible light emitted does not directly enter into the image capturing unit.